

KELP Module 1 **Topic: Costumes** ACTIVITY 11: Dance Party

VOCABULARY

Costume: The picture that represents a sprite **Change Costume**: Changing the picture that you use for a sprite **Animation**: When sprites come to life by moving and doing different actions **Timing**: When something happens **Motion**: When a sprite moves

ACTIVITY GOAL

In this project, you will learn how to **animate** sprites.

BACKGROUND

To **animate** a **sprite** you must change its **costume**. In addition to changing a sprites **costume**, you will also control how often the **costume** changes (**timing**).

Costumes

To make a good animation, you need multiple pictures for the same sprite, called **costumes**.





Timing

By using the wait **block** to the right (in the Control category) you can make the costume changes happen slowly enough so that you can see them.

EXPLORE

- 1. Open the project. Click on the green flag.
- 2. <u>Click</u> on the ballerina. <u>Describe</u> what happened below.

3. <u>Look</u> at the **scripts** for the ballerina. Notice how she has two different **scripts**. The first one **initializes** (resets) her when you click on the green flag and the other one is the **script** for her dance routine.





wait ① secs

4. <u>Click</u> on the **costumes** tab (next to the **Scripts** tab). This tab holds the costumes for your sprite.

How many costumes does the Ballerina have? _

How many does the Cool Dude have? _____

How many does Cassy have? _____

Create a quick animation for the Cool Dude

- 1. <u>Click</u> on the Cool Dude in the **sprite list**.
- 2. <u>Find</u> the **costumes** tab where all of the Cool Dude's **costumes** are. Decide which costume you want him to change into.
- 3. <u>Change</u> the Cool Dude's **costume** using one of the **blocks** below. Hint: Add to the script that starts with the "When CoolDude clicked" block.



- 4. <u>Add</u> more **blocks** to the Cool Dude's **script** to change his **costume**. There should already be some blocks that will change his costume.
- 5. <u>Try</u> out your **script**! <u>Click</u> on the Cool Dude and see what happens. <u>Write</u> what you saw below.
- 6. To make the **costume** changes happen more slowly you need to <u>add</u> a **wait block** between each **costume** change.



7. Now that the Cool Dude's **costume** is changed you need to make sure that when you click on the green flag he gets reset (**Initialized**).

<u>Add</u> the "switch to costume" **block** to his "When green flag clicked" script.





PROGRAMMING CHALLENGE: Dance Party

Your goal is to create a dance routine for Cassy using costume changes.

PLAN

Step 1: Plan Cassy's dance moves.

Look at all of Cassy's **costumes** in the Costumes tab. <u>Write</u> out the first five costumes you want her to switch into.

- 1. Cassy- chillin
- 2._____
- 3. _____
- 4. _____
- 5._____



Step 2: Plan the timing of Cassy's dance routine.

<u>Decide</u> how many seconds you want to **wait** between each dance move. <u>Try</u> each of the times below in your **wait blocks** and see which one you like the best. <u>Circle</u> the one you choose.



CREATE

Now it is time to create your dance routine for Cassy!

Double-check: Did you remember everything?

- 1. Did you **initialize** Cassy so that she will return to her original position when you click on the **green flag**?
- 2. Did you create a dance routine for Cassy using **costume** changes and **wait blocks**?

Try it out: <u>Try</u> out your script! <u>Click</u> on the green flag and then <u>click</u> on Cassy.

IMPROVE

- 1. Add motion blocks to your scripts to make the sprites move while dancing.
- 2. What could you do to make your dance party more interesting? <u>Write</u> the **blocks** you might use and what those **blocks** might do below.